
MANAGEMENT SERVER


Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

1/8

F I G. 1




F I G. 2




Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER

Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

2/8 F I G. 3




F I G. 4



Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER

Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

3/8 F I G. 5



F I G. 6

Print settings Print data

Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER

MANAGEMENT SERVER Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

4/8

F I G. 7

Distributed print request

Destination printer

IP address of printer 1-4

Number of print copies

100

Print data

A4-size, monochrome (15 pages)

Double-sided printing

Enabled

Distributed printing

Enabled

If error occurs

Reprint all pages

Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

5/8

F I G. 8D	Printer 4	Printing capability information	Type: Monochrome	Double-sided printing: Supported	Printing speed: 30ppm	Status information	Status: Idle	Warm-up: Uncompleted	Number of remaining A4 sheets: 10	Number of remaining B4 sheets: 50	Number of printable pages: 300	
F I G. 8 C	Printer 3	Printing capability information	Type: Monochrome	Double-sided printing: Supported	Printing speed: 30ppm	Status information	Status: Idle	Warm-up: Completed	Number of remaining A4 sheets: 100	Number of remaining B4 sheets: 50	Number of printable pages: 300	
F I G. 8B	Printer 2	Printing capability information	Type: Color	Double-sided printing: Supported	Printing speed: 21ppm	Status information	Status: Idle	Warm-up: Uncompleted	Number of remaining A4 sheets: 100	Number of remaining B4 sheets: 50	Number of printable pages: 4000	
F I G. 8A	Printer 1	Printing capability information	Type: Color	Double-sided printing: Not supported	Printing speed: 21ppm	Status information	Status: Idle	Warm-up: Completed	Number of remaining A4 sheets: 30	Number of remaining B4 sheets: 50	Number of printable pages: 4000	

Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER
Inventors: Naruhide KITADA, Taro ISHIGE
Atty. Ref.: 9319M-000621

6/8 F I G. 9


ln

1	Print queue	
No. 1	00 A4, monochrome, 15 pages, double-sided	Wait state
	•	•
	•	•
No. 3	A4, monochrome, 15 pages, double-sided	Wait state
No. 2	A4, monochrome, 15 pages, double-sided	Wait state
No. 1	A4, monochrome, 15 pages, double-sided	Wait state
10	Out	

Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER

Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

7/8 F I G. 10



Title: DISTRIBUTED PRINTING SYSTEM, METHOD, PROGRAM, PRINTER AND PRINTER MANAGEMENT SERVER

Inventors: Naruhide KITADA, Taro ISHIGE Atty. Ref.: 9319M-000621

8/8 F I G. 1 1

